



Maintenance guide for matte acrylics

Maintenance guide for matte acrylics

Special maintenance of the matte acrylic	3
• Finish and warranty of the matte acrylic.....	3
Maintenance Tips	4
• Do's and don'ts	4
• Spot cleaning	5

Special maintenance of the matte acrylic

The matte acrylic is a unique exterior treatment that gives your new Lacus spa a distinctive appearance. Unlike traditional acrylics, the matte acrylic requires a special care to maintain its appearance.

Finish and warranty of the matte acrylics

- Warranty on the finish of the acrylics for the 24 months following the delivery of the spa.
- Lacus acrylic warranty applies to manufacturing defects and/or raw material defects. **It is important to note that this warranty does not apply to the matte appearance of the acrylic surface.**
- Maintaining the matte appearance is solely the responsibility of the spa owner.

Maintenance tips

To preserve the appearance of the matte acrylic for many years to come, please follow these maintenance tips.

Do's and don'ts

- Do not use wax, detail spray, or any products made for normal acrylic. Use only products specifically developed for matte acrylic.
- Do not use products that are even mildly abrasive, such as polishes, glazes, or rubbing compounds.
- Do not use terry-cloth, cloth or paper towels. Do not rub the finish vigorously. It could make a shiny spot that would be impossible to remove.
- Do not use mechanical cleaners or polisher.
- Use microfiber towels impregnated with cleaning products for matte acrylic. Make sure the towel doesn't have soap residue from previous use.
- Do not use trichloride products.



Spot cleaning

Generally, the preferred method for removing dirt and debris is pressure washing. We also recommend using a V shaped nozzle. But for those times when you need to do a quick spot cleaning to remove tree sap or debris before it causes damage to the finish, follow these recommendations.

Spot clean by spraying microfibre towel with matte acrylic cleaner. Do not use a dry towel.



Caution!

Always test products in a hidden area before using them in a visible area.

Spot cleaning equipment/supplies

- Do not use vinegar or ammonia-based products.
- Use a 50/50 alcohol and deionized water solution.
- Use a microfiber soft cloth suitable for matte acrylic.



Spot cleaning procedure

Apply matte acrylic cleaner on a microfiber clean cloth. Do not use a dry towel, the dry towel will damage the finish.

- Leave a damp cloth on the spot 'till it's softened.

- Lightly wipe the surface in light forward and backward motion. Avoid circular motions, which can damage the acrylic.
- Rinse with water so cleaning product does not stay on finish.
- Repeat if necessary all while still avoiding circular motions.



Removing natural stains and debris

- First, spray stained area with water to remove any loose debris.
- Then proceed to spray matte acrylic cleaner or 50/50 alcohol and deionized water solution.
- Spray cleaning product on a microfiber cloth.
- Lightly wipe the acrylic to remove debris.